


We claim:

1. A mixture for crop protection, comprising as active components

5 a) carbamate derivatives of the formula I



in which the substituents and the index have the following meaning:

10

T is CH or N

n is 0, 1 or 2


15

R is halogen, C₁–C₄-alkyl or C₁–C₄-haloalkyl, it being possible for the radicals R to be different when n is 2,

and

20

b) at least one compound of the formulae II



II

25

in which R₁ is C₁–C₄-alkyl or C₁–C₄-haloalkyl.

2. A mixture as claimed in claim 1, wherein the substituents of formula II have the following meaning:

30

R₁ is trifluormethyl;

3. A mixture as claimed in claim 1 or 2, wherein the substituents of the compound of formula II have the following meaning:

5

R₁ is ethyl;

4. A mixture as claimed in claims 1 to 3, wherein the mixture comprises a compound of formula I, a compound of formula II and a further fungicide.

10

5. A mixture as claimed in claim 4, wherein the further fungicide is metalaxyl, triaconazole, carbetazin, boscalid or thiophanate-methyl.

15

6. A mixture as claimed in any of claims 1 to 5, wherein the weight ratio of the compound of formula I to compound of formula II is from 100:1 to 1:100.

7. A mixture as claimed in any of claims 4 or 5, wherein the weight ratio of the compounds of formula I to the further fungicide is from 1000:1 to 1:1000.

20 8. A composition comprising the fungicidal mixture as claimed in any of claims 1 to 7 and a solid or liquid carrier.

9. A method for controlling phytopathogenic harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with a mixture as set forth in any of claims 1 to 25 7 or the compositions as claimed in claim 8.

10. A method for controlling harmful insects, which comprises treating an insect, arachnid or nematode or their food supply, habitat or breeding grounds with a mixture as set forth in any of claims 1 to 7 or the compositions as claimed in 30 claim 8.

11. A method for controlling phytopathogenic harmful fungi and harmful insects, which comprises treating the harmful fungi, their habitat or the plants, seeds, 35 soils, areas, materials or spaces to be kept free from them or the insect or nematode or their food supply, habitat or breeding grounds with a mixture as set forth in any of claims 1 to 7 or the compositions as claimed in claim 8.

12. A method as claimed in claims 9, 10 or 11, wherein the mixture as claimed in any 40 of claims 1 to 7 is applied in an amount of from 5 g/ha to 2 000 g/ha.

13. A method as claimed in claim 9, 10 or 11, wherein the mixture as claimed in any of claims 1 to 7 is applied in an amount of from 1 to 1 000 g/100 kg of seed.
14. Seed, comprising the mixture as claimed in any of claims 1 to 7 in an amount of from 1 to 1 000 g/100 kg.